arXiv:1605.07613v1 [math.CO] 24 May 2016

The square of the 9-hypercube is 14-colorable*

Juho Lauri†

May 26, 2016

Abstract

The n-hypercube, denoted by Q_n, has a vertex for each bit string of length n with two vertices adjacent whenever their Hamming distance is one. The minimum number of colors needed to color Q_n such that no two vertices at a distance at most k receive the same color is denoted by $\chi_{\bar{k}}(n)$. Equivalently, $\chi_{\bar{k}}(n)$ denotes the minimum number of binary codes with minimum distance at least $k+1$ required to partition the n-dimensional Hamming space. Using a computer search, we improve upon the known upper bound for $n = 9$ by showing that $13 \leq \chi_{\bar{2}}(9) \leq 14$.

1 Introduction

The *n-hypercube* (or *n-cube*), denoted by Q_n, is a graph whose vertex set corresponds to the set of all bit strings of length n. In the graph, two vertices are adjacent whenever their Hamming distance is one, i.e., the two bit strings differ in exactly one position. The *kth power* of a graph G, denoted by G^k, is the graph on the same vertex set as G with an edge between each pair of vertices at a distance at most k. In particular, G^2 is known as the *square* of G. Originating from a study of scalability of optical networks, the problem of determining the chromatic number of the square of the n-hypercube has received considerable attention (see e.g., [8, 6, 1, 9, 2]). In the context of coding theory, a proper vertex coloring of Q_n^k corresponds to a partition of $\{0,1\}^n$ into binary codes of minimum distance at least $k+1$. We denote the chromatic number of Q_n^k by $\chi_{\bar{k}}(n)$. Specifically, in what is to follow, we will focus on $\chi_{\bar{2}}(n)$.

Determining the exact value of $\chi_{\bar{k}}(n)$ has been deemed a difficult problem [5]. For roughly 25 years, it was known that $13 \leq \chi_{\bar{2}}(8) \leq 14$, with explicit 14-colorings given independently by Hougardy [10] and Royle [3, Section 9.7]. Recently, Kokkala and Östergård [4] proved that $\chi_{\bar{2}}(8) = 13$ by constructing an explicit 13-coloring for Q_8^2. Given the result, the precise value of $\chi_{\bar{2}}(n)$ is known for all $n \leq 8$. For $n = 9$, it is not difficult to derive that $13 \leq \chi_{\bar{2}}(9) \leq 16$. In fact, to the best of our knowledge, no tighter bounds are known. We improve upon the known upper bound by establishing that $13 \leq \chi_{\bar{2}}(9) \leq 14$. In particular, we demonstrate an explicit 14-coloring for the square of the 9-hypercube, found by a computer search.

*Work partially supported by the Emil Aaltonen Foundation

†Tampere University of Technology, Finland

2 An explicit 14-coloring for Q_9^2

It is known that 16 colors suffice to properly color the vertices of Q_9^2 (for a gentle introduction, see [7]). Similarly, at least 13 colors are needed. In what is to follow, we present an explicit 14-coloring for Q_9^2, bringing the known upper bound from 16 down to 14. In other words, our construction establishes that $13 \leq \chi_{\bar{2}}(9) \leq 14$.

The claimed 14-coloring is given in Table 1. Eight of the color classes are of size 40, two of size 35, two of size 33, one of size 31, and one of size 25. For convenience, we list the elements of each of the 14 color classes as integers from 0 to 511. We also provide a simple program[1] for verifying that the given coloring is indeed proper.

We will give details of the computational approach taken to discover the coloring in a full version of the manuscript.

References

[1] S. K. Das, I. Finocchi, and R. Petreschi. Conflict-free star-access in parallel memory systems. *Journal of Parallel and Distributed Computing*, 66(11):1431–1441, 2006.

[2] F.-W. Fu, S. Ling, and C. Xing. New results on two hypercube coloring problems. *Discrete Applied Mathematics*, 161(18):2937–2945, 2013.

[3] T. R. Jensen and B. Toft. *Graph coloring problems*. John Wiley & Sons, 2011.

[4] J. I. Kokkala and P. R. Östergård. A coloring of the square of the 8-cube with 13 colors. *arXiv preprint arXiv:1509.06913*, 2015.

[5] H. Q. Ngo, D.-Z. Du, and R. L. Graham. New bounds on a hypercube coloring problem. *Information Processing Letters*, 84(5):265–269, 2002.

[6] P. R. Östergård. On a hypercube coloring problem. *Journal of Combinatorial Theory, Series A*, 108(2):199–204, 2004.

[7] J. G. Rix. Hypercube coloring and the structure of binary codes. Master's thesis, University of British Columbia, 2008.

[8] P.-J. Wan. Near-optimal conflict-free channel set assignments for an optical cluster-based hypercube network. *Journal of Combinatorial Optimization*, 1(2):179–186, 1997.

[9] S. Zhou. Distance labelling problems for hypercubes and Hamming graphs–a survey. *Electronic Notes in Discrete Mathematics*, 28:527–534, 2007.

[10] G. M. Ziegler. *Computational Discrete Mathematics: Advanced Lectures*, chapter Coloring Hamming Graphs, Optimal Binary Codes, and the 0/1-Borsuk Problem in Low Dimensions, pages 159–171. Springer Berlin Heidelberg, 2001.

[1] The source code is freely available at `https://bitbucket.org/laurij/sqhyp-check`

Table 1: A partition of the vertex set of Q_9^2 into color classes $C_1, \ldots, C_{14}$.

C_1	C_2	C_3	C_4	C_5	C_6	C_7	C_8	C_9	C_{10}	C_{11}	C_{12}	C_{13}	C_{14}
22	1	14	13	12	7	6	0	17	3	8	2	9	4
25	24	27	23	19	10	11	15	40	16	20	5	21	18
48	46	37	26	32	28	29	35	47	42	38	44	30	31
63	55	50	34	58	36	33	53	66	45	78	59	39	43
64	70	60	52	61	41	62	56	76	54	81	93	79	49
71	85	77	57	75	51	72	73	95	69	101	99	96	74
90	91	80	67	86	65	84	83	97	92	120	112	123	89
107	105	87	68	88	82	98	94	116	115	127	126	155	118
108	114	102	104	103	110	109	100	122	132	141	139	162	195
117	124	121	111	113	125	119	106	131	143	151	158	177	253
130	135	136	129	137	128	140	138	142	154	160	161	188	264
133	146	145	134	144	149	147	148	152	181	185	183	197	277
156	157	150	171	159	175	167	153	164	194	190	184	216	294
169	168	163	172	165	186	170	166	178	215	196	200	233	301
174	180	191	202	182	198	176	173	189	217	210	211	238	314
179	187	203	208	206	205	193	199	201	235	234	212	247	335
209	192	220	221	213	219	207	204	214	236	258	230	274	348
223	222	224	229	226	227	218	225	231	240	287	237	312	352
246	239	245	243	251	232	228	242	263	262	299	275	319	391
248	241	250	254	252	244	249	255	265	289	300	276	326	409
257	271	259	256	261	269	279	268	286	315	305	317	345	417
270	278	260	267	266	272	280	273	304	316	327	321	355	436
295	288	285	284	281	283	292	282	341	331	329	330	364	452
296	313	298	293	291	290	303	297	344	338	346	356	396	466
333	323	311	302	308	309	306	310	358	360	374	375	421	490
339	332	328	307	320	318	325	322	365	373	385	384	427	
340	336	350	337	351	324	334	349	371	392	398	397	438	
354	357	353	342	361	343	347	359	404	403	408	430	448	
377	362	367	378	366	363	369	368	411	413	423	434	467	
382	383	372	381	370	376	380	379	426	418	469	479	478	
395	388	399	402	390	387	386	389	439	449	493	491	509	
400	394	410	405	412	406	393	415	463	462	496	497		
407	401	422	440	424	428	414	416	480	468	507	508		
420	419	425	447	431	441	437	435	505	487				
442	429	432	455	433	458	443	444	510	506				
445	446	450	460	451	465	464	459						
454	457	453	475	461	476	477	470						
456	471	473	482	474	485	483	472						
481	486	492	489	484	498	488	494						
495	504	499	500	503	511	502	501						